Town of Glenville Building Dept. 18 Glenridge Road, Glenville, NY 12302

Phone: (518) 688-1200 ext. 8

Fax: (518) 384-0140



Date Received:
Fees:
Date Approved:
Date Denied:
Authorized by:

www.townofglenville.org

Repairs/Replacement to an Existing Septic Disposal System Application

Plot plans & plans of the proposed repairs / replacement <u>MUST</u> be submitted with this application.

Must Be Completed) Property Dwner's Name: Address:		(Must Be Completed) Installer's Name: Address:	
Day Phone:			
	Water supply (circle one):	Private well or	
Soil conditions:			
Perc and/or soil test results:			
Witnessed by:		Date:	
<u>Description of work to be done</u> :			
Septic Tank replace:	New tank type and size: _		
Dry well replace:	NOTE: This must be preap	proved by the Town of G	lenville & County Healtl
Drain Field (circle one):	remove & replace or	adding to existing	
No. of laterals:	Length of each:	Trench width:	Trench depth:
Total I/f of laterals upon co	mpletion:		
Other repairs:	Information:		
An "As B A minimum c	egin until plans have been revieuilt" drawing <u>MUST</u> be submitte of 24 hours notice <u>MUST</u> be proned Monday – Friday 9:30AM –	ed after completion of wo vided for all inspection re	ork. equests.

<u>i</u> V	TABLE 3 INDMUM SEPTIC TANK C	APACITIES
Number of Bedrooms	Minimum Tank Capacity (gallons):	Minimum Liquid Surface Area (ft²)
1, 2, 3	1,000	27
4	1,250	34
5	1,500	40
6	1,750	47

NOTES:

- a) Tank size requirements for more than six (6) bedrooms shall be calculated by adding 250 gallons and seven (7) square feet of surface area for each additional bedroom.
- b) A garbage grinder shall be considered equivalent to an additional bedroom for determining septic tank size.
- c) A whirlpool bath or spa (connected to house plumbing) should be considered equivalent to an additional bedroom for determining septic tank size.

\0\\Y	0W.		RE	QUIR	ED L	ENGT	TABI H OF	ABSC	12 5 Car		RENC	H.			
//0//v	, V			(<u>B</u> /	ASED	UPON	(IIN F 2 FO	EET) OT W	DE T	RENC	H)				
Percolation						Dai	ly Flov	v Rate	(gallor	is per o	lay)				
Rate	2 t	edroo	ms	3 t	edroo	ms	4 8	edroo	ms	5 l	edroo	ms		6 bed	rooms
min/inch	220	260	300	330	390	450	440	520	600	550	650	750	660	780	900
1 - 5	92	108	125	138	162	187	184	216	250	230	270	312	275	325	374
6 - 7	110	130	150	165	195	225	220	260	300	275	325	375	330	390	450
8 - 10	123	145	167	184	217	250	245	290	333	306	360	417	367	433	500
11 - 15	138	162	188	207	244	281	275	325	375	344	406	469	413	488	563
16 - 20	158	186	214	236	279	321	315	372	429	393	464	536	472	557	643
21 - 30	184	217	250	275	325	375	367	433	500	459	542	625	550	650	750
31 - 45	220	260	300	330	390	450	440	520	600	550	650	750	660	780	900
46 - 60	245	290	333	367	433	500	489	578	667	612	722	833	734	867	1000
			Dosing	g requi	red if t	here is	500-fe	eet or r	nore o	f total	trench	length			
		* Alte	rnate I	osing	require	ed if th	ere is	1000-fe	eet or 1	nore o	f total	trench	length		

12	12:1
	7
2.3	-
100	1
15.0	7
	QD.
1	
150	410
	=
	~
1.83	4
200	1
	_
1975	-
15.5	>
200	T
144	
	C.1
120	
200	K.
(7) V	213
10-85	CF
	Ziele.
	2110
N	-
	-
X.17.	900
0.4	~
18.9	
300	1
134	138
12.0	⋖
1	-
539	×
1.65	~
	-
200	_
32.46	-51
325 31	~
	-
10.00	63
	200
1	1997
1625	
	74
c.do.	>
10	-
200	→ 1
3 184	244
5	_
137	1
	ব
3	4
	N N
3	×
TAIDE 7	I WA
	e W
	W M
	S W MOS
	KOM WA
	FKOM WA
	FKUM WA
	S F KOM WA
	STROM WA
	ES FROM WA
	CESTROM WA
	CES FROM WA
	NCES FROM WA
	VICES FROM WA
	ANCES FROM WA
	LANCES FROM WA
	STAINCES FROM WA
	STANCES FROM WA
	ISTANCES FROM WA
	DISTANCES FROM WA
	DISTANCES FROM WA
	A DISTAINCES FROM WA
M. D. Company of Company of the Comp	IN DISTAINCES FROM WA
	ON DISTAINCES FROM WA
	ION DISTAINCES PROM WA
	TOWNED TAINCES FIROM WA
	THUS DISTANCES FROM WA
	ALLON DISTANCES FROM WA
MATA SOME DECEMBER AND A VITA	CALLUM DISTANCES FIROM WA
DATE ON DIGHTAN ON ON THE	RATION DISTANCES FROM WA
	MATTON DISTANCES FIROM WA
M.D. A.D. A.D. A. LOTT, A. M. A. C. T. C.	ARALION DISTANCES FROM WA
	CHICALLIUM DISTANCES FROM WA
MAIL AND TOTAL STORY AND TOTAL STORY OF THE	THE ARM THUN DISTANCES FIROIVE WA
MAIL ON THE PROPERTY OF THE PR	PLAKALIUN DISLANCES FROM WA
	SELAKATION DISTANCES FIKON, WA
OF DATE OF THE PROPERTY OF THE PARTY OF THE	OPERARATION DISTAINCES FROM WA
MAIL SOME SHOPEN STORY SOME SHOPE SOME SOME SOME SOME SOME SOME SOME SOM	SELECTION DISTANCES FROM WASHEWALLER TREATMENT SYSTEM COMPONENT
HALL SOUR A DISTRIBUTION INTO THE STATE OF STATE	DOEL ARALION DISLANCES FROM WA
LAD. CODA DA TION DIGENAL GEORGE	Chartellon Matances Fixold WA
MAIL SEPTATION DISEASIGES OF SEXT.	WE SELAKALIUN MISLAINCES LIKUIM WA
P.P. COPA DATION BIGHANGE STORY	NOD OBLANCATION DISTANCES LIKOM WA
MALE COURT ON THE MALE WAS A SECOND OF THE S	INCLUSE FARALION DISTANCES FROM WA
MPL CODA DATION NOTES AND MICHAEL STATES OF THE COMMENT OF THE COM	THE THE SELECTION WIS ANCES LIKELY WA
THE FORD OF DATE OF CRASH STORY	CHACL SELARATION DISTANCES FROM WA
ATHREE REPAIR THAN DISTANCE AND A THE CASE AND A TH	COUNTY SELAKALION DISTAINCES FIKOM WA
TAN OTHER SEPTABLE ATTOM RICHARD CEPTARAN	COUNTY SELAKATION DISTANCES FIKOM WA
LAN FOTTING FOR SEPARATION INTERNATIONAL SECTION SECTI	EXCURSED OF ERALIUM DISTAINCES FIROIM WA
LAD PEOTITO EN SEDA DA TITAN A TOTAN SA SESSION	MONOTONIA OF THE MALLON DISTAINCES FROM WA


		(FEET)				
System:Components	Well of Suction Line (e)(g)	Stream, Lake, Watercourse (b), or Wetland	Dwelling	Property Line	Dramage Ditch or Rain Gardens (h)	
House Sewer Drain (watertight joints)	25 if cast iron, 50 otherwise	25	3	10	10	
Septic Tank, Dosing Tank or watertight ETU	50	50	10	10	10	
Effluent Line to Distribution Box/Drop Box	50	50	10	10	01	
Distribution Box/Drop Box	100	100	20	01	10	
Absorption Field (c)(d)	100 (a)	100	20	10	20	
Seepage Pit(d)	150 (a)	100	20	10	07	
Raised System or Mound (c)(d)	100 (a)	100	20	10	07	
Intermittent Sand Filter (d)	100 (a)(f)	€ 001	20	10	70	
Non-Waterborne Systems with offsite		(2) 222	03	O.I.	707	
residual disposal	20	50	20	10	10	
Non-Waterborne Systems with onsite						
discharge	100	20	20	10	20	

When wastewater treatment systems are located upgrade and in the direct path of surface water drainage to a well, the closest part of the treatment system shall be at least 200 feet away from the well

Notes:

- Mean high water mark. Wetland or watercourse determinations should be addressed with the LHD or other agency having jurisdiction and the applicable NYSDEC For all systems involving the placement of fill material, separation distances are measured from the toe of the slope of the fill, except for some shallow absorption trench systems as described in Section 9.12.2 of this Handbook. régional office. 0 9
- Separation distances shall also be measured from the edge of the designated additional useable area (i.e., reserve area), when available. d)
- The closest part of the wastewater treatment system shall be located at least ten (10) feet from any water service line (e.g., public water supply main, public water service line or residential well water service line) (e)
- When intermittent sand filters are designed to be watertight and collect all effluent, the separation distance can be reduced to 50 feet F
- The listed water well separation distances from contaminant sources shall be increased by 50% whenever aquifer water enters the water well at less than 50-feet below grade. If a 50% increase cannot be achieved, then the greatest possible increase in separation distance shall be provided with such additional measures as needed to prevent contamination. (QQ
- Recommended; use site evaluation to avoid OWTS short-circuiting to the surface or groundwater and to minimize impacts on OWTS functionality P

Embankment or very steep slope: It is recommended that system components be located a minimum of 25 feet and the absorption field be located a minimum of 50 feet from an embankment or very steep slope. Maximize separation distances and use site evaluation to avoid short-circuiting to surface (breakout or seepage) Swimming pools (above or below ground): It is recommended that system components be located a minimum of 20 feet and the absorption field be located a minimum of 35 feet from swimming pools. Maximize separation distances and use site evaluation to minimize impacts on OWTS accessibility and functionality.



^{*} Setback varies according to zoning district.

INSURANCE REQUIREMENTS

The Workers' Compensation Law requires that before a New York State or municipal agency, department, board, commission or office issues any permit or license, they must be provided with the completed forms as shown below prior to permit issuance.

- 1) Form BP-1 (9-07) Affidavit of Exemption to Show Specific Proof of Workers' Compensation Insurance Coverage for a 1, 2, 3 or 4 Family, Owner-occupied Residence (This is the Only Form Available from the Town of Glenville) OR, have the general contractor provide the Town with the information described in numbers 2 and/or 3 below.
- An Certificate from Group A attesting no need for both Workers Compensation and Disability Benefits Coverage (Note: If the Certificate does not exclude the need for BOTH Workers Compensation and Disability Benefits Coverage you must supply a form from Group B and/or C that proves you have the Workers Compensation and / or Disability Benefits Coverage), OR,
- 3) A form from Group B and C.

The ONLY ACCEPTABLE forms are as follows: (See below sheet "NYS Workers' Compensation Board page 5 dated December 1, 2008")

Group	Form No.	Description
A	CE-200	Certificate of Attestation For New York Entities With No Employees And Certain Out Of State Entities That New York State Workers' Compensation and/or Disability Benefits Insurance Coverage Is Not Required.
	C-105.2 (9/07)	Certificate of Workers' Compensation Insurance.
В	<u>SI-12</u> (10/03)	Certificate of Workers' Compensation Self Insurance.
	GSI- 105.2 (2/02)	Certificate of Participation in Workers' Compensation Group Self Insurance.
	U-26.3	New York State Insurance Fund Certificate of Workers' Compensation Insurance.
C.	DB-120.1 (5/06)	Certificate of Disability Benefits Insurance.
	DB-155 (1/98)	Certificate of Disability Benefits Self-Insurance.

[&]quot;NYS Workers' Compensation Board page 5 dated December 1, 2008"

WORKERS' COMPENSATION REQUIREMENTS UNDER WORKERS' COMPENSATION LAW §57

To comply with coverage provisions of the Workers' Compensation Law ("WCL"), businesses must:

- A) be legally exempt from obtaining workers' compensation insurance coverage; or
- B) obtain such coverage from insurance carriers; or
- C) be a Board-approved self-insured employer or participate in an authorized group self-insurance plan.

To assist State and municipal entities in enforcing WCL Section 57, businesses requesting permits or seeking to enter into contracts MUST provide ONE of the following forms to the government entity issuing the permit or entering into a contract:

A) <u>CE-200</u>, Certificate of Attestation of Exemption from NYS Workers' Compensation and/or Disability Benefits Coverage;

Starting December 1, 2008, Form CE-200 can be filled out electronically on the Board's website, www.wcb.state.ny.us, under the heading "Forms." Applicants filing electronically are able to print a finished Form CE-200 immediately upon, completion of the electronic application. Applicants without access to a computer may obtain a paper application for the CE-200 by writing or visiting the Customer Service Center at any District Office of the Workers' Compensation Board. Applicants using the manual process may wait up to four weeks before receiving a CE-200. Once the applicant receives the CE-200, the applicant can then submit that CE-200 to the government agency from which he/she is getting the permit, license or contract. OR

- B) C-105.2 -- Certificate of Workers' Compensation Insurance (the business's insurance carrier will send this form to the government entity upon request) PLEASE NOTE: The State Insurance Fund provides its own version of this form, the U-26.3; OR
- C) SI-12 -- Certificate of Workers' Compensation Self-Insurance (the business calls the Board's Self-Insurance Office at 518-402-0247), OR GSI-105.2 -- Certificate of Participation in Worker's Compensation Group Self-Insurance (the business's Group Self-Insurance Administrator will send this form to the government entity upon request).

DISABILITY BENEFITS REQUIREMENTS UNDER WORKERS' COMPENSATION LAW §220(8)

To comply with coverage provisions of the WCL regarding disability benefits, businesses may:

- A) be legally exempt from obtaining disability benefits insurance coverage; or
- B) obtain such coverage from insurance carriers; or
- C) be a Board-approved self-insured employer.

Accordingly, to assist State and municipal entities in enforcing WCL Section 220(8), businesses requesting permits or seeking to enter into contracts MUST provide ONE of the following forms to the entity issuing the permit or entering into a contract:

- A) CE-200, Certificate of Attestation of Exemption from NYS Workers' Compensation and/or Disability Benefits Coverage; Starting December 1, 2008, Form CE-200 can be filled out electronically on the Board's website, www.wcb.state.ny.us, under the heading "Forms." Applicants filing electronically are able to print a finished Form CE-200 immediately upon, completion of the electronic application. Applicants without access to a computer may obtain a paper application for the CE-200 by writing or visiting the Customer Service Center at any District Office of the Workers' Compensation Board. Applicants using the manual process may wait up to four weeks before receiving a CE-200. Once the applicant receives the CE-200, the applicant can then submit that CE-200 to the government agency from which he/she is getting the permit, license or contract. OR
- B) DB-120.1 -- Certificate of Disability Benefits Insurance (the business's insurance carrier will send this form to the government entity upon request); OR
- C) DB-155 -- Certificate of Disability Benefits Self-Insurance (the business calls the Board's Self-Insurance Office at 518-402-0247).

Please note that for building permits ONLY, certain homeowners of 1, 2, 3 or 4 family owner-occupied residences serving as their own General Contractor may be eligible to file Form BP-1 (The homeowner obtains this form from either the Building Department or on the Board's website, www.wcb.state.ny.us, under the heading "Forms.")

http://www.wcb.state.ny.us/content/main/forms/bp-1.pdf

Affidavit of Exemption to Show Specific Proof of Workers' Compensation Insurance Coverage for a 1, 2, 3 or 4 Family, Owner-occupied Residence

**This form cannot be used to waive the workers' compensation rights or obligations of any party. **

(including	enalty of perjury, I certify that I am the owner of the 1, 2, 3 or 4 family, owner-occupied residence condominiums) listed on the building permit that I am applying for, and I am not required to show roof of workers' compensation insurance coverage for such residence because (please check the e box):
. 🗀 I	I am performing all the work for which the building permit was issued.
	I am not hiring, paying or compensating in any way, the individual(s) that is(are) performing all the work for which the building permit was issued or helping me perform such work.
2	I have a homeowners insurance policy that is currently in effect and covers the property listed on the attached building permit AND am hiring or paying individuals a total of less than 40 hours per week (aggregate hours for all paid individuals on the jobsite) for which the building permit was issued.
for the for	the to either: quire appropriate workers' compensation coverage and provide appropriate proof of that coverage on the approved by the Chair of the NYS Workers' Compensation Board to the government entity issuing the building permit if I need to hire or pay individuals a total of 40 hours or more per week (aggregate hours all paid individuals on the jobsite) for work indicated on the building permit, or if appropriate, file a CE-0 exemption form; OR
. (inc wor of t pro	we the general contractor, performing the work on the 1, 2, 3 or 4 family, owner-occupied residence cluding condominiums) listed on the building permit that I am applying for, provide appropriate proof of orkers' compensation coverage or proof of exemption from that coverage on forms approved by the Chair the NYS Workers' Compensation Board to the government entity issuing the building permit if the oject takes a total of 40 hours or more per week (aggregate hours for all paid individuals on the jobsite) for ork indicated on the building permit.
(S	Signature of Homeowner) (Date Signed)
(Ho	Home Telephone Number omeowner's Name Printed)
Property A	Address that requires the building permit: Sworn to before me this day of
	in al. this DD 1 forms converge as an exemption for both workers' commensation and disability benefits insurance coverage.

LAWS OF NEW YORK, 1998 CHAPTER 439

The general municipal law is amended by adding a new section 125 to read as follows:

- 125. ISSUANCE OF BUILDING PERMITS. NO CITY, TOWN OR VILLAGE SHALL ISSUE A BUILDING PERMIT WITHOUT OBTAINING FROM THE PERMIT APPLICANT EITHER:
- 1. PROOF DULY SUBSCRIBED THAT WORKERS' COMPENSATION INSURANCE AND DISABILITY BENEFITS COVERAGE ISSUED BY AN INSURANCE CARRIER IN A FORM SATISFACTORY TO THE CHAIR OF THE WORKERS' COMPENSATION BOARD AS PROVIDED FOR IN SECTION FIFTY-SEVEN OF THE WORKERS' COMPENSATION LAW IS EFFECTIVE; OR
- 2. AN AFFIDAVIT THAT SUCH PERMIT APPLICANT HAS NOT ENGAGED AN EMPLOYER OR ANY EMPLOYEES AS THOSE TERMS ARE DEFINED IN SECTION TWO OF THE WORKERS' COMPENSATION LAW TO PERFORM WORK RELATING TO SUCH BUILDING PERMIT.

Implementing Section 125 of the General Municipal Law

1. General Contractors - Business Owners and Certain Homeowners

For businesses and certain homeowners listed as the general contractors on building permits, proof that they are in compliance with Section 57 of the Workers' Compensation Law (WCL) is ONE of the following forms that indicate that they are:

- insured (C-105.2 or U-26.3),
- self-insured (SI-12), or
- arc exempt (CE-200),

under the mandatory coverage provisions of the WCL. Any residence that is not a 1, 2, 3 or 4 Family, Owner-occupied Residence is considered a business (income or potential income property) and must prove compliance by filing one of the above forms.

2. Owner-occupied Residences

For homeowners of a 1, 2, 3 or 4 Family, Owner-occupied Residence, proof of their exemption from the mandatory coverage provisions of the Workers' Compensation Law when applying for a building permit is to file form BP-1 (12/08).

- Form BP-Ishall be filed if the homeowner of a 1, 2, 3 or 4 Family, Owner-occupied Residence is listed as the general contractor on the building permit, and the homeowner:
 - is performing all the work for which the building permit was issued him/herself,
 - o is not hiring, paying or compensating in any way, the individual(s) that is(are) performing all the work for which the building permit was issued or helping the homeowner perform such work, or
 - has a homeowner's insurance policy that is currently in effect and covers the property for which the building permit was issued AND the homeowner is hiring or paying individuals a total of less than 40 hours per week (aggregate hours for all paid individuals on the jobsite) for the work for which the building permit was issued.
- If the homeowner of a 1, 2, 3 or 4 Family, Owner-occupied Residence is hiring or paying individuals a total of 40 hours or MORE in any week (aggregate hours for all paid individuals on the jobsite) for the work for which the building permit was issued, then the homeowner may not file the "Affidavit of Exemption" form, BP-1(12/08), but shall either:
 - acquire appropriate workers' compensation coverage and provide appropriate proof of that coverage on forms approved by the Chair of the NYS Workers' Compensation Board to the government entity issuing the building permit (the C-105.2 or U-26.3 form), OR
 - have the general contractor, (performing the work on the 1, 2, 3 or 4 family, owner-occupied residence (including condominiums) listed on the building permit) provide appropriate proof of workers' compensation coverage, or proof of exemption from that coverage on forms approved by the Chair of the NYS Workers' Compensation Board to the government entity issuing the building permit.